Page www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier MULTI-COMPONENT MIXTURE

Product code

YZS-1910- Scheherazade

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances Perfume compound

#### 1.3 Details of the supplier of the safety data sheet

Company Gildewerk B.V.

Tel. +31 - (0)23 - 532 22 55 Fax +31 - (0)23 - 534 09 65 E-mail holland@gildewerk.com

www.gildewerk.com

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

H315 Causes skin irritation. Skin corrosion/irritation (SCI)Category 2

H317 May cause an allergic skin reaction. Sensitization, skin (SS 1 / 1B)Category 1

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>.Carcinogenicity (CAR)2

H411 Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, chronic toxicity (EH C)Category 2

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signaalword

WARNING

**Hazard statements** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no

other routs of exposure cause the hazard>. H411 Toxic to aquatic life with long lasting effects.

Page www.gildewerk.com

YZS-1910- Scheherazade **Product** 

Revisiondate 02-05-2017 Version 3.0 Printdate 02-05-2017

#### **Precautionary statements**

Prevention P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention. P361 Remove/Take off immediately all contaminated clothing.

P391 Collect spillage.

#### Hazardous components which must be listed on the label:

a-cedrene 3,7-dimethyl-6-octen-1-ol (dl-citronellol) 1,8-cineole phenol, 4allyl-2-methoxy galaxolide 3,7-dimethyl-2,6-octadien-1-yl-acetate guaiyl acetate iso bornyl cyclo hexanol limonene

linalool

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (main component)

(e)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol

acetyl cedrene

2.3 Other hazards

no data available

#### 3. Composition/information on ingredients

#### 3.2 Mixtures

Hazardous components



Page 3 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

Chemical Name	CAS-Nr. REACH reg.	(REGULATION (EC) No 1272/2008)	Concentration [%]
a-cedrene	469-61-4	H304Aspiration hazard (AH)Category 1 H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	0,1 - 1%
3,7-dimethyl-6-octen-1- ol (dl-citronellol)	106-22-9 01-2119453995-23-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	0,1 - 1%
1,8-cineole	470-82-6 01-2119967772-24-xxxx	H226Flammable liquids (FL)Category 3 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
phenol, 4allyl-2- methoxy	97-53-0 01-2119971802-33-xxxx	H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	0,1 - 1%
galaxolide	1222-05-5 01-2119488227-29-xxxx	H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	1 - 5%
3,7-dimethyl-2,6- octadien-1-yl-acetate	105-87-3 01-2119973480-35-xxxx	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H412Hazardous to the aquatic environment, chronic toxicity (EH C)Category 3	0,1 - 1%
guaiyl acetate	134-28-1	H315Skin corrosion/irritation (SCI)Category 2 H319Serious eye damage/eye irritation (EDI)Category 2A	1 - 5%
iso bornyl cyclo hexanol	68877-29-2	H315Skin corrosion/irritation (SCI)Category 2 H411Hazardous to the aquatic environment, chronic toxicity (EH C)Category 2	1 - 5%



Page 4 www.gildewerk.com

/ersion 3.0	Revis	iondate 02-05-2017 Printdate	02-05-2017
imonene	5989-27-5 01-2119529223-47-xxxx	H226Flammable liquids (FL)Category 3 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 18)Category 1 H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	0,1 - 1%
inalool	78-70-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (EDI)Category 2A	1 - 5%
	01-2119474016-42-xxxx		
3-methyl-4-(2,6,6- rimethyl-2-cyclohexen	127-51-5	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1	0,1 - 1%
-1-yl)-3-buten-2-one (main component)	01-2119471851-35-xxxx	H411Hazardous to the aquatic environment, chronic toxicity (EH C)Category 2	
nusk keton	81-14-1	H351Carcinogenicity (CAR)2 H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	1 - 5%
e)-3,3-dimethyl-5- 2,2,3-trimethyl-3- cyclopenten-1-yl)-4-	107898-54-4	H315Skin corrosion/irritation (SCI)Category 2 H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	0,1 - 1%
oenten-2-ol	01-0000000316-81-xxxx		
acetyl cedrene	32388-55-9	H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute toxicity (EH A)Category 1 H410Hazardous to the aquatic environment, chronic toxicity (EH C)Category 1	1 - 5%
	01-2119969651-28-xxxx		

Page 5 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. First aid measures

#### 4.1 Description of first aid measures

General advice Move out of dangerous area. Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact If on skin, rinse well with water.

In case of eye contact 
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms no data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment no data available

#### 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Dry chemical

Alcohol-resistant foam Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing

media High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting

Do not allow run-off from fire fighting to enter drains or water courses.

#### 5.3 Advice for firefighters

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information Collect contaminated fire extinguishing water separately. This must not be discharged into

drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **6.4 Reference to other sections** not applicable

### 7. Handling and storage

Page 6 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

#### 7.1 Precautions for safe handling

Advice on safe handling 
Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

To avoid spills during handling keep bottle on a metal tray.

Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.

Temperature class no data available Fire-fighting class no data available Dust explosion class no data available

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

Advice on common storage

German storage class

no data available no data available no data available

Other data No decomposition if stored and applied as directed.

7.3 Specific end uses

Specific use(s) no data available

#### 8. Exposure controls/personal protection

### 8.1 Control parameters

#### BENZALDEHYDE

Workingprogram: Limits Finland 2007 Limits: 1 parts per million Publication: Julkaisuja 2007:4

#### BENZYL ACETATE

Workingprogram: Limits Denemarken 2007 Limits: 10 parts per million Publication: Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 2007 (publicatie C.0.1)

Workingprogram : Limits België 2009 Limits : 10 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065

Workingprogram : Limits Spanje 2010 Limits : 10 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos

en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

#### CAMPHOR

Workingprogram : Limits Finland 2007 Limits : 0,3 parts per million Publication : Julkaisuja 2007:4

Workingprogram: Limits Denemarken 2007 Limits: 2 parts per million Publication: Arbejdstilsynet; Grænseværdier for stoffer og materialer, augustus 007 (publicatie C.0.1)

Workingprogram: Limits Frankrijk 2008 Limits: 2 parts per million Publication: Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008

Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november

2009; Arbeidstilsynet

Workingprogram: Limits België 2009 Limits: 2 parts per million Publication: Belgisch Staatsblad: 19 mei 2009; N. 2009 - 2065 Workingprogram: Limits Oostenrijk 2007 Limits: 2 parts per million Publication: Grenzwerteverordnung: 2007 - GKV 2007 Workingprogram: Limits: 2 parts per million Publication: SuvaPro Grenzwerte am Arbeitsplatz: 2009

Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 2 parts per million Publication : EH40/2005

Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en

España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

Workingprogram: Werkprogramma Herevaluatie bestaande Limits: Publication: 2000/15 OSH/018

#### DIETHYL PHTALATE

Workingprogram: Limits UK 2007 5 milligram pro kubic meter Publication: H40/2005 Workplace exposure limits

Workingprogram: Limits Noorwegen 2010 3 milligram pro kubic meter Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13.

utgave november 2009; Arbeidstilsynet

Page 7 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

Workingprogram: Limits Oostenrijk 2007 3 milligram pro kubic meter Publication: Grenzwerteverordnung 2007 - GKV 2007

Workingprogram: Limits Zweden 2005 3 milligram pro kubic meter Publication: AFS 2005:17

Workingprogram: Limits Zwitserland 5 milligram pro kubic meter inhale fractie Publication: SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram: Limits België 2009 5 milligram pro kubic meter Publication: Belgisch Staatsblad 19 mei 2009; N. 2009 2065

Workingprogram : Limits Spanje 2010 5 milligram pro kubic meter Publication : Límites de Exposición Profesional para Agentes Químicos

en España,

Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

#### DIPROPYLENE GLYCOL

Workingprogram: Limits Zwitserland Limits: 200 milligram per kubieke meter inhaleerbare fractie Publication: SuvaPro Grenzwerte am

Arbeitsplatz 2009

Workingprogram: Limits Duitsland-AGS Limits: 67 milligram per kubieke meter inhaleerbare fractie Publication: TRGS 900

#### LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram: Limits Duitsland-AGS Limits: 20 parts per million Publication: TRGS 900

Workingprogram: Limits Zwitserland Limits: 20 parts per million Publication: SuvaPro Grenzwerte am Arbeitsplatz 2009
Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i arbeidsatmosfaere: 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram: Limits Finland 2007 Limits: 25 parts per million Publication: Julkaisuja 2004:4

#### PINENE ALPHA

Workingprogram: Limits België 2009 Limits: 20 parts per million Publication: Belgisch Staatsblad 19 mei 2009; N. 2009--2065

Workingprogram: Limits Zweden 2005 Limits: 25 parts per million Publication: AFS 2005:17

Workingprogram: Limits Noorwegen 2010 Limits: 25 parts per million Publication: Administrative normer for forurensning i

arbeidsatmosfaere; 13. utgave november 2009; Arbeidstilsynet

#### 8.2 Exposure controls

#### Personal protective equipment

Hand protection Use protective gloves. Gloves must comply with standard EN 374-1/2/3.

Suitable material: Nitrile

Breakthrough time (maximum wearing time): >30 min.

Thickness of the material: 0.13 mm

Eye protection Eye wash bottle with pure water

Tightly fitting, approved safety goggles with side shields with standard EN166.

Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance

at the work place.

Hygiene measures When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **Environmental exposure controls**

General advice Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

#### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid Form liquid

Color collorless till yellow liquid

Taste not determined
Odour Threshold not applicable
Flash point >100

Lower explosion limit not determined Upper explosion limit not determined Flammability (solid, gas) not applicable

Gildewerk

Page 8 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

Oxidizing properties not applicable not determined Autoignition temperature Decomposition temperature no data available рΗ not determined Melting point not determined not determined Boiling point Vapour pressure not determined not determined Density Bulk density not applicable Water solubility not determined Solubility/qualitative practically insoluble Partition coeff noctanol/H2O not applicable Viscosity, kinematic no data available Relative vapour density no data available no data available Evaporation rate Explosive properties no data available

#### 10. Stability and reactivity

10.1 Reactivity none

**10.2 Chemical stability** The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid no data available

10.5 Incompatible materials

Materials to avoid no data available

10.6 Hazardous decomposition products

Hazardous decomposition products

no data available

Thermal decomposition no data available

#### 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute orale toxicity Estimated Acute toxicity Dosis mg/kg: 7814

Method Calculationmethod

Acute inhalation toxicity Estimated Acute toxicity Dosis mg/ltr:

Method Calculationmethod No data is available on the product itself.

Acute dermale toxicity Estimated Acute toxicity Dosis mg/kg: 7570

Method Calculationmethod

#### Acute toxicity (other routesof administration)

No data is available on the product itself.

Skin corrosion/irritation

Skin irritation May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Eye irritation May cause irreversible eye damage.

Respiratory or skin sensitization

Sensitisation No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity No data is available on the product itself.

Carcinogenicity

Carcinogenicity No data is available on the product itself.

Reproductive toxicity

Reproductive toxicity No data is available on the product itself.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure

No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure

Page 9 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

Target Organ Systemic Toxicant - Repeated exposure

No data is available on the product itself.

Aspiration hazard

Aspiration toxicity No data is available on the product itself.

Phototoxicity

Phototoxicity No data is available on the product itself.

Further information no data available

#### 12. Ecological information

#### 12.1 Toxicity

Toxicity to fish no data available Toxicity to daphnia and other aquatic invertebrates.

no data available

Toxicity to algae no data available

#### 12.2 Persistence and degradability

Biodegradability no data available

#### 12.3 Bioaccumulative potential

Bioaccumulation no data available

#### 12.4 Mobility in soil

Mobility no data available Distribution among environmental compartments no data available

Additional advice Environmental fate and pathways no data available

Physico-chemical removability no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

Biochemical Oxygen Demand (BOD)

no data available

Dissolved organic carbon (DOC)

no data available

Chemical Oxygen Demand (COD)

no data available

Adsorbed organic bound halogens (AOX)

no data available

Additional ecological information

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 13. Disposal considerations

#### 13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Dispose of as unused product.

Do not re-use empty containers.

Dispose of in accordance with local regulations.

#### 14. Transport information

#### ADR/RID/ADN

UN-number 3082 (Environmentally dangerous substances, liquid, N.O.S.)

Description of Goods (galaxolide & musk keton)

Transportclass and packaging group 9 PG III
Dangerous for the environment yes

IATA/ICAO

Gildewerk

Page 10 www.gildewerk.com

Product YZS-1910- Scheherazade

Version 3.0 Revisiondate 02-05-2017 Printdate 02-05-2017

UN-number 3082 (Environmentally dangerous substances, liquid, N.O.S.)

Description of Goods (galaxolide & musk keton)

Transportclass and packaging group 9 PG III
Dangerous for the environment yes

**IMDG** 

UN-number UN-number 3082 (Environmentally dangerous substances, liquid, N.O.S.)

Description of Goods (galaxolide & musk keton)

Transportclass and packaging group 9 PG III marine pollution yes

#### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ABM Cat Water hazard class NL (ABM) Cat A2

#### 15.2 Chemical Safety Assessment

no data available

#### 16. Other information

#### Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Fragrance ingredients restricted in Annex III part 1 of Directive 76/768/EEC and its amendments, As a consequence of opinion SCCNFP / 0017 / 98

	S-1910- Scheherazade 05-2017		Total content in product %
Amylcinnamyl alcohol	(oko cat 4)	CAS 101-85-9	0,0000
Amyl cinnamal	(oko cat 3)	CAS 122-40-7	0,0000
Anisyl alcohol	(oko cat 4)	CAS 105-13-5	0,0000
Benzyl Alcohol	(oko cat 4)	CAS 100-51-6	0,0000
Benzyl benzoate	(oko cat 4)	CAS 120-51-4	0,0000
Benzyl cinnamate	(oko cat 4)	CAS 103-41-3	0,0000
Benzyl salicylate	(oko cat 4)	CAS 118-58-1	0,0000
Cinnamal	(oko cat 1)	CAS 104-55-2	0,0000
Cinnamyl alcohol	(oko cat 2)	CAS 104-54-1	0,0000
Citral	(oko cat 3)	CAS 5392-40-5	0,0000
Citronellol	(oko cat 4)	CAS 106-22-9	0,2000
Coumarin	(oko cat 4)	CAS 91-64-5	0,0000
Eugenol	(oko cat 3)	CAS 97-53-0	0,2000
Farnesol	(oko cat 3)	CAS 4602-84-0	0,0000
Geraniol	(oko cat 4)	CAS 106-24-1	0,0010
HexylCinnamal	(oko cat 4)	CAS 101-86-0	0,0000
Hydroxycitronellal	(oko cat 2)	CAS 107-75-5	0,0000
Iso Eugenol	(oko cat 1)	CAS 97-54-1	0,0000
Butylphenyl Methylpropional	(oko cat 2)	CAS 80-54-6	0,0000
Limonene	(oko cat 4)	CAS 5989-27-5	0,2759
Linalool	(oko cat 4)	CAS 78-70-6	2,4000
Hydroxyisohexyl 3-cyclohe	exene Carboxaldehyde(oko cat 2)	CAS 31906-04-4	0,0000
Methyl 2-octynoate	(oko cat 3)	CAS 111-12-6	0,0000
alpha isomethyl ionon	(oko cat 4)	CAS 127-51-5	0,5000
(Treemoss) Evernia Furfuracea extr (oko cat 1)		CAS 68648-41-9	0,0000
(Oakmoss) Evernia Prunastri extr (oko cat 1)		CAS 9000-50-4	0,0000

These are calculated concentrations and do not negate the need for chromatographic qualification of the end product. To the best of our knowledge the information contained in this document is accurate at the date of publication. However, nothing contained in this document is to be considered as a waranty or representation in respect of safety in use, fitness for purpose, merchantability of efficacy, or as any other warranty (whether expressed or implied).



## **STATEMENT**

Code YZS-1910- Scheherazade

02-05-2017

To whom it concerns

#### Musk statement

product 11-26935 PARFUM SCHEHERAZADE contains the following ingredients:

4,00 % (Musk) Nitromusk

4,00 % (Musk) Polycyclic musk

0,00 % (Musk) Macrocyclic musk

#### **GMO** directly added

(Declaration Limit: 0,01%)

According to the formulation – this fragrance oil does not contain ingredients produced on the basis of genetically modified organisms.

#### **Animal Testing**

We herewith confirm that our fragrances have not been the subject of animal testing by or on behalf of our company.

#### **BSE / TSE**

(Declaration Limit: 0,01%)

Our fragrances are mixtures of natural (plant origin) and synthetic products. To the best of our knowledge it does not contain any ingredients which may be suspected of BSE / TSE.

The information contained herein is, to the best of Gildewerk's knowledge, true and accurate at the time it is given. It is provided to Customer for its information and internal use only. Gildewerk is not liable for any damages that may result from the misuse of the data. It is Customer's responsibility to perform its own evaluations on the material evaluated herein, including with respect to end-use applications. Any Customer product, marketing or other claims are Customer's sole responsibility



Code YZS-1910- Scheherazade

02-05-2017

We certify that the above compound is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA - 48th Amendment), provided it is used in the following classes at a maximum concentration level of

IFRA QRA	Махімим со	NCE	ENTRATION LEVEL
IFRA Cat 1 maximum concentration level of		%	Not applicable. Product is not foodgrade
IFRA Cat 2 maximum concentration level of	100,00	%	
IFRA Cat 3A maximum concentration level of	100,00	%	
IFRA Cat 3B maximum concentration level of	100,00	%	
IFRA Cat 3C maximum concentration level of	100,00	%	
IFRA Cat 3D maximum concentration level of	100,00	%	
IFRA Cat 4A maximum concentration level of	100,00	%	
IFRA Cat 4B maximum concentration level of	100,00	%	
IFRA Cat 4C maximum concentration level of	100,00	%	
IFRA Cat 4D maximum concentration level of	100,00	%	
IFRA Cat 5 maximum concentration level of	100,00	%	
IFRA Cat 6 maximum concentration level of		%	Not applicable. Product is not foodgrade
IFRA Cat 7A maximum concentration level of	100,00	%	
IFRA Cat 7B maximum concentration level of	100,00	%	
IFRA Cat 8A maximum concentration level of	100,00	%	
IFRA Cat 8B maximum concentration level of	100,00	%	
IFRA Cat 9A maximum concentration level of	100,00	%	
IFRA Cat 9B maximum concentration level of	100,00	%	
IFRA Cat 9C maximum concentration level of	100,00	%	
IFRA Cat 10A maximum concentration level of	100,00	%	
IFRA Cat 10B maximum concentration level of	100,00	%	
IFRA Cat 11 maximum concentration level of	100,00	%	

# **QRA INFORMATIONAL BOOKLET 7.0 JUNE 2015**



Code YZS-1910- Scheherazade

02-05-2017

# List of the categories and applications

Category 1 Children's Toys * Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.	1
* Fragrance use in Toys: IFRA prohibits the use of fragrance materials and mixtures in toys or other children products where there is the likelihood of mouth contact.  Following the criteria established by the toy industry, these include:  1) toys for children less than 3 years of age;  2) any toy designed and intended to go into the mouth; and/or  3) those toys for which mouth contact is reasonably foreseeable.	en's
Category 2  Deodorant and Antiperspirant Products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, underarm and body, etc.)  Nose pore strips  Fragranced Bracelets	2 2 2
Category 3  Hydroalcoholic Products Applied To Recently Shaved Skin (ADT range, including After shave) Hydroalcoholic Products Applied To Recently Shaved Skin (Fine Fragrance range) Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc.) including eye care Men's Facial Creams, Balms Baby Creams, Lotions, Oils Tampons Body Paint for Children	3.A 3.B 3.C 3.C 3.C 3.D 3.C
Category 4  Hydroalcoholic Products Applied to Unshaved Skin (EdT range)  Scent Strips for Hydroalcoholic Products Ingredients of Perfume Kits  Scent Pads, Foil Packs  Hydroalcoholic Products Applied to Unshaved Skin (Fine Fragrance range)  Hair Styling Aids Sprays of all types (pumps, aerosol sprays, etc.), Hair Deodorant  Body Creams, Oils, Lotions, of all types (except baby creams, lotions, oils)  Body sprays (including body mists) with no intended or reasonably foreseeable use on the axillae  Fragrance Compounds for Cosmetic Kits  Foot Care Products  Fragrancing Creams, solid perfumes	4.A 4.A 4.A 4.B 4.C 4.C 4.C 4.C 4.C



Code YZS-1910- Scheherazade

	02-05-2017
Body Paint for Adults	4.C
Category 5	
Women's Facial Creams / Facial Make-up. Facial Masks	5
Hand Cream / Hand sanitizers	5
Baby Powder and Talc	5
Hair Permanent and Other Hair Chemical Treatments (e.g. relaxers) but not hair dyes	5
Wipes or Refreshing Tissues for Face, Neck, Hands, Body	5
Dry Shampoo or Waterless Shampoo	5
Category 6	
Mouthwash including Breath Sprays	6
Toothpaste	6
Category 7	
Intimate Wipes, Baby Wipes	7.A
Insect Repellent (intended to be applied to the skin)	7.B
Category 8	
Make-up Removers of all types (not including face cleansers)	8.A
Hair Styling Aids Non-Spray of all types (mousse, gels, leave-in conditioners, etc.)	8.A
Nail Care	8.A
All powders and talcs (except baby powders and talcs)	8.A
Hair Dyes	8.B
Category 9	
All Depilatories (including waxes for mechanical hair removal)	9.A
Liquid Soaps, Bar Soaps (Toilet Soaps)	9.A
Condtioners (Rinse-Off)	9.A
Shampoos of all types (including baby shampoos)	9.A
Face Cleansers of all types (washes, gels, scrubs, etc.)	9.A
Shaving Creams of all types (stick, gels, foams, etc.)	9.A
Body Washes of all types (including baby washes) and Shower Gels of all types	9.A
Bath Gels, Foams, Mousses, Salts, Oils and Other Products Added to Bathwater	9.A
Feminine pads / Liners	9.B
Toilet Paper	9.B
Other Aerosols (including air freshener sprays and air freshener pump spray but not deodorant,	
hair styling aids spray and animal sprays)	9.C
Facial Tissues	9.C
Napkins	9.C
Paper Towels	9.C
Wheat bags	9.B



Code YZS-1910- Scheherazade

02-05-2017

Category 10	
Hand wash/Machine Wash Laundry Detergents of all types (liquid, powder, tablet, etc) including Laundr Bleaches and concentrates	У
	10.A
Hand Dishwashing Detergent including concentrates	10.A
Other Househould Cleaning Products (fabric cleaners, soft surface cleaners, carpet cleaners, etc.)	10.A
Fabric Softeners of all types including fabric softener sheets	10.A
Dry Cleaning Kits	10.A
Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.)	10.A
Shampoos for Pets	10.A
Diapers	10.B
Toilet Seat Wipes	10.B
Scented gloves, socks, tights with moisturizers	10.A
Category 11	
All non-skin contact or incidental skin contact. Including:	
Air Fresheners and fragrancing of all types (concentrated aerosol with metered doses	
range 0.05-0.5ml/spray), plug-ins, solid substrate, membrane delivery, Electrical);	11
Toilet blocks; Joss Sticks, Incense	11 11
Air Delivery Systems Liquid refills for air freehoners (cortridge systems)	11
Liquid refills for air fresheners (cartridge systems)  Scent delivery system using a dry air technology that releases a fragrance without sprays, aerosols or heat	
(technology of nebulization); Air freshening crystals	11
Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols	11
Fuels	11
Plastic articles (excluding toys)	11
Paints	11
Floor wax	11
Candles	11
Fragranced lamp ring	11
Scent pack	11
Machine Dishwash Detergent and Deodorizers	11
Machine-only laundry detergent (e.g. liquitabs)	11
Deodorizers/Maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powde	
	11
Scratch and sniff (sampling technology)	11
Pot pourri, powders, fragrancing sachets, liquid refills for air fresheners (non-cartridge	
systems), Reed diffusers	11
Shoe Polishes	11
Cat Litter	11
Animal Sprays (all types)	11



Code YZS-1910- Scheherazade

02-05-2017

Treatment products for Textiles (e.g. starch sprays, deodorizers for textiles, fabric treated with fragrance	s after
wash)	11
Odored Distilled Water (that can be added to steam irons)	11
Cell phone cases	11

#### Note box:

\*\* Category 11 includes all non-skin contact or incidental skin contact products. Due to negligible skin contact the concentration of a fragrance should not exceed the usual concentration of the fragrance compound in the finished product.

For example, hypothetically if the usual concentration of a fragrance compound in the final product, for example a candle, is at 5%, then any individual fragrance ingredient must not exceed 5% in the candle.

For other kinds of application or use at higher concentration levels, a new safety evaluation may be needed; please contact Holland Aromatics BV.

The IFRA Standards regarding use restrictions are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee.

Evaluation of individual Fragrance ingredients is made according to the safety standards contained in the relevant section of the IFRA Code of Practice.

It is the ultimate responsibility of our customer to ensure the safety of the final product (containing this fragrance) by further testing if need be.