

# SAFETY DATA SHEET

www.gildewerk.com

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: PERFUME ZARDOS

Product code: YZS-2602\* UFI: 2D67-R06F-X00S-VV6R

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Fragrance compounds

## 1.3. Details of the supplier of the safety data sheet

Company Gildewerk B.V.

A Hofmanweg 41 2031 BH Haarlem Nederland

Tal 24 (0)20

Tel. 31 - (0)23 - 532 22 55 Fax 31 - (0)23 - 534 09 65

E-mail: holland@gildewerk.com

**1.4 Emergency telephone number** Only for professionals (English or Dutch only)

Tel +31 (0) 30 -2748888 (Nationaal Vergiftigingen Informatie Centrum (NVIC)

## **SECTION 2 : HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







GHS05

GHS07

GHS09

Signal Word:

## DANGER

Product identifiers:

EC 204-116-4 LINALYL ACETATE EC 201-134-4 LINALOOL EC 227-813-5 D-LIMONENE

EC 245-890-3 ISOLONGIFOLENE KETONE

EC 203-377-1 GERANIOL EC 202-086-7 COUMARIN

EC 228-408-6 HEXYL SALICYLATE
EC 203-375-0 DL-CITRONELLOL
EC 201-323-1 FORMAL DELIVEDE CO.

EC 261-332-1 FORMALDEHYDE CYCLODODECYL ETHYL ACETAL

EC 203-378-7 NEROL

EC 289-861-3 OAKMOSS ABSOLUTE EC 201-746-1 BETA-CARYOPHYLLENE

EC 207-431-5 EUCALYPTOL

EC 237-539-8 CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL

EC 201-291-9 ALPHA-PINENE

EC 204-872-5 BETA-PINENE EC 203-341-5 GERANYL ACETATE

EC 203-161-7 2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ...

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

P321 Specific treatment (see ... on this label).

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

## **Composition:**

composition:			
Identification	(EC) 1272/2008	Note	%
HYDROCARBONS	GHS08		2.5 <= x % < 10
	Dgr		
	Asp. Tox. 1, H304		
CAS: 8000-41-7	GHS07		2.5 <= x % < 10
EC: 232-268-1	Wng		
REACH: 01-2119553062-49-XXXX	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
TERPINEOL			
CAS: 115-95-7	GHS07		2.5 <= x % < 10
EC: 204-116-4	Wng		
REACH: 01-2119454789-19-0001	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALYL ACETATE	Eye Irrit. 2, H319		
CAS: 78-70-6	GHS07		2.5 <= x % < 10
EC: 201-134-4	Wng		
REACH: 01-2119474016-42-0000	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALOOL	Eye Irrit. 2, H319		

CAS: 5989-27-5	GHS02, GHS07, GHS08, GHS09		2.5 <= x % < 10
EC: 227-813-5	Dgr		
REACH: 01-2119529223-47-xxxx	Flam. Liq. 3, H226		
D. LIMONENE	Asp. Tox. 1, H304		
D-LIMONENE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317 Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 87-20-7	GHS07, GHS09		2.5 <= x % < 10
EC: 201-730-4	Wng		
	Acute Tox. 4, H302		
ISOAMYL SALICYLATE	Aquatic Chronic 2, H411		2.5
CAS: 18479-58-8	GHS07		2.5 <= x % < 10
EC: 242-362-4 REACH: 01-2119457274-37-008	Wng Skin Irrit. 2, H315		
REACH: 01-2117437274-37-000	Eye Irrit. 2, H319		
DIHYDROMYRCENOL			
CAS: 23787-90-8	GHS07, GHS09		2.5 <= x % < 10
EC: 245-890-3	Wng		
	Skin Sens. 1B, H317		
ISOLONGIFOLENE KETONE	Aquatic Chronic 2, H411		2.5
CAS: 1506-02-1 EC: 216-133-4	GHS07, GHS09		2.5 <= x % < 10
REACH: 01-2119539433-40-XXXX	Wng Acute Tox. 4, H302		
REACH: 01-211/33/435-40-AAAA	Aquatic Acute 1, H400		
6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRA			
LINE (TONALIDE, FIXOLIDE, AHTN)	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 106-24-1	GHS05, GHS07		$0 \le x \% < 2.5$
EC: 203-377-1	Dgr		
REACH: 01-2119552430-49-0003	Skin Irrit. 2, H315		
GERANIOL	Skin Sens. 1, H317 Eye Dam. 1, H318		
CAS: 3407-42-9	GHS07, GHS09		0 <= x % < 2.5
EC: 222-294-1	Wng		0 <- X /0 < 2.5
REACH: 01-2119979583-21-XXXX	Eye Irrit. 2, H319		
	Aquatic Chronic 2, H411		
3-(5,5,6-TRIMETHYLBICYCLO[2.2.1]HEPT-2			
-YL)CYCLOHEXAN-1-OL	M Acute = 1		0 0/ 0.5
CAS: 91-64-5	GHS07		0 <= x % < 2.5
EC: 202-086-7 REACH: 01-2119943756-26-0001	Wng Acute Tox. 4, H302		
REACH. 01-2119943730-20-0001	Skin Sens. 1B, H317		
COUMARIN	Skii Seis. 15, 11317		
CAS: 6259-76-3	GHS09, GHS07		0 <= x % < 2.5
EC: 228-408-6	Wng		
REACH: 01-2119638275-36-0002	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
HEXYL SALICYLATE	M Acute = 1		
	Aquatic Chronic 1, H410 M Chronic = 1		
CAS: 106-22-9	GHS07		0 <= x % < 2.5
EC: 203-375-0	Wng		0 <- X /0 < 2.5
REACH: 01-2119453995-23-XXXX	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
DL-CITRONELLOL	Eye Irrit. 2, H319		
CAS: 76-22-2	GHS02, GHS05, GHS07, GHS08, GHS09	[1]	$0 \le x \% < 2.5$
EC: 200-945-0	Dgr		
REACH: 01-2119966156-31-XXXX	228 Aguta Toy, 4, H302		
1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2	Acute Tox. 4, H302		
-ONE	Eye Dam. 1, H318		
ONE	Acute Tox. 4, H332		
	STOT SE 2, H371		
	Aquatic Chronic 2, H411		

CAS: 58567-11-6	GHS07, GHS09	0 <= x % < 2.5
EC: 261-332-1	Wng	0 <- X % < 2.3
REACH: 01-2119971571-34-XXXX	Skin Irrit. 2, H315	
REACH: 01-21199/13/1-34-AAAA		
EODMAI DELIVOE CVCI ODODECVI	Skin Sens. 1B, H317	
FORMALDEHYDE CYCLODODECYL	Aquatic Chronic 2, H411	
ETHYL ACETAL CAS: 106-25-2	GHS07	0 <= x % < 2.5
		$0 \le x \% < 2.5$
EC: 203-378-7	Wng	
REACH: 01-2119983244-33-0000	Skin Irrit. 2, H315	
NEDOL	Skin Sens. 1B, H317	
NEROL	Eye Irrit. 2, H319	2 2 5
CAS: 90028-68-5	GHS07	$0 \le x \% < 2.5$
EC: 289-861-3	Wng	
0.477.4044.1747.77	Skin Sens. 1B, H317	
OAKMOSS ABSOLUTE	GYYGOF GYYGOO	2 2 2
CAS: 87-44-5	GHS07, GHS08	$0 \le x \% < 2.5$
EC: 201-746-1	Dgr	
REACH: 01-2120745237-53-XXXX	Asp. Tox. 1, H304	
	Skin Sens. 1B, H317	
BETA-CARYOPHYLLENE	Aquatic Chronic 4, H413	
CAS: 469-61-4	GHS08, GHS09	0 <= x % < 2.5
EC: 207-418-4	Dgr	
REACH: EXEMPTION	Asp. Tox. 1, H304	
	Aquatic Acute 1, H400	
ALPHA-CEDRENE	M Acute = 10	
	Aquatic Chronic 1, H410	
	M Chronic = 10	
CAS: 470-82-6	GHS02, GHS07	$0 \le x \% < 2.5$
EC: 207-431-5	Wng	
REACH: 01-2119967772-24-0018	Flam. Liq. 3, H226	
	Skin Sens. 1B, H317	
EUCALYPTOL	Eye Irrit. 2, H319	
CAS: 470-40-6	GHS09, GHS08	$0 \le x \% < 2.5$
	Dgr	
THUJOPSENE	Asp. Tox. 1, H304	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 13828-37-0	GHS07	0 <= x % < 2.5
EC: 237-539-8	Wng	
REACH: 01-2119983532-32-XXXX	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
CIS-4-(ISOPROPYL)CYCLOHEXANEMETH		
NOL		
CAS: 80-56-8	GHS02, GHS07, GHS08, GHS09	0 <= x % < 2.5
EC: 201-291-9	Dgr	
REACH: 01-2119519223-49-XXXX	Flam. Liq. 3, H226	
	Acute Tox. 4, H302	
ALPHA-PINENE	Asp. Tox. 1, H304	
<del>-</del>	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 127-91-3	GHS02, GHS07, GHS08, GHS09	0 <= x % < 2.5
EC: 204-872-5	Dgr	0 \- X /0 \ 2.5
REACH: 01-2119519230-54-0000	Flam. Liq. 3, H226	
KL/1C11. 01-2117J172JU-J4-UUUU	Asp. Tox. 1, H304	
BETA-PINENE	Asp. 10x. 1, H304 Skin Irrit. 2, H315	
DETA-LIMENE		
	Skin Sens. 1B, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	

CAS: 123-35-3	GHS02, GHS07, GHS08, GHS09	0 <= x % < 2.5
EC: 204-622-5	Dgr	
REACH: 01-2119514321-56-0000	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
MYRCENE	Skin Irrit. 2, H315	
	Eye Irrit. 2, H319	
	Aquatic Chronic 2, H411	
	Aquatic Acute 1, H400	
	M Acute = 1	
CAS: 105-87-3	GHS07	$0 \le x \% < 2.5$
EC: 203-341-5	Wng	
REACH: 01-2119973480-35-XXXX	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
GERANYL ACETATE	Aquatic Chronic 3, H412	
CAS: 103-95-7	GHS07	$0 \le x \% < 2.5$
EC: 203-161-7	Wng	
REACH: 01-2119970582-32-0000	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
2-METHYL-3-(P-ISOPROPYLPHENYL)PROP	Aquatic Chronic 3, H412	
IONALDEHYDE		
CAS: 546-28-1	GHS09	$0 \le x \% < 2.5$
EC: 208-898-8	Wng	
	Aquatic Acute 1, H400	
BETA-CEDRENE	M Acute = 10	
	Aquatic Chronic 1, H410	
	M Chronic = 10	

Specific concentration limits:		
Identification	Specific concentration limits	ATE
CAS: 8000-41-7		oral: ATE = 4300 mg/kg BW
EC: 232-268-1		
REACH: 01-2119553062-49-XXXX		
TERPINEOL		
CAS: 78-70-6		oral: ATE = 2790 mg/kg BW
EC: 201-134-4		
REACH: 01-2119474016-42-0000		
LINALOOL		
CAS: 87-20-7		oral: ATE = 1406 mg/kg BW
EC: 201-730-4		
ISOAMYL SALICYLATE		
CAS: 18479-58-8		oral: ATE = 3600 mg/kg BW
EC: 242-362-4		3-111-1-2 2-1-8-1-8-1-8
REACH: 01-2119457274-37-008		
DIHYDROMYRCENOL		
CAS: 1506-02-1		oral: ATE = 1000 mg/kg BW
EC: 216-133-4		3.11.1.1.2
REACH: 01-2119539433-40-XXXX		
6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRA		
LINE (TONALIDE, FIXOLIDE, AHTN)		
CAS: 106-24-1		oral: ATE = 3600 mg/kg BW
EC: 203-377-1		3-111-1-2 2-1-8-1-8-1-8
REACH: 01-2119552430-49-0003		
GERANIOL		
CAS: 106-22-9		dermal: ATE = 2650 mg/kg BW
EC: 203-375-0		oral: ATE = 3450 mg/kg BW
REACH: 01-2119453995-23-XXXX		2 10 0 1-10/1-10 - 11
DL-CITRONELLOL		
DE CITACIABLEOL	I	

CAS: 76-22-2	STOT SE 2 (Inh): H371 C>= 10%	oral: ATE = 1500 mg/kg BW
EC: 200-945-0	, ,	
REACH: 01-2119966156-31-XXXX		
1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-	2	
-ONE		
CAS: 106-25-2		oral: ATE = 4500 mg/kg BW
EC: 203-378-7		
REACH: 01-2119983244-33-0000		
NEROL		
CAS: 90028-68-5		oral: ATE = 2900 mg/kg BW
EC: 289-861-3		
OAKMOSS ABSOLUTE		
CAS: 470-82-6		oral: ATE = 2480 mg/kg BW
EC: 207-431-5		
REACH: 01-2119967772-24-0018		
EUCALYPTOL		
CAS: 103-95-7		oral: ATE = 3810 mg/kg BW
EC: 203-161-7		
REACH: 01-2119970582-32-0000		
2-METHYL-3-(P-ISOPROPYLPHENYL)PROF		
IONALDEHYDE		

## Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

## In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

# In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

# Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam

- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

# Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

## **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

# Occupational exposure limits:

- France (INRS - ED984 / 2020-1546):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
76-22-2	2	12	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CA	AS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
76	5-22-2	2 ppm	3 ppm			
		13 mg/m3	19 mg/m3			

# Derived no effect level (DNEL) or derived minimum effect level (DMEL):

GERANYL ACETATE (CAS: 105-87-3)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 35.5 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 62.59 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 8.9 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 17.75 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 15.4 mg of substance/m3

MYRCENE (CAS: 123-35-3)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.83 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 5.83 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method:

Potential health effects:

DNEL:

DL-CITRONELLOL (CAS: 106-22-9)

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

DIHYDROMYRCENOL (CAS: 18479-58-8)

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

LINALOOL (CAS: 78-70-6)

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

Inhalation.

Long term systemic effects.

1.25 mg of substance/m3

Workers.

Dermal contact.

Long term systemic effects.

45.8 mg/kg body weight/day

Inhalation.

Long term systemic effects.

161.6 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

13.8 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

27.5 mg/kg body weight/day

Inhalation.

Long term systemic effects.

47.8 mg of substance/m3

Workers.

Dermal contact.

Long term systemic effects.

20.8 mg/kg body weight/day

Inhalation.

Long term systemic effects.

73.5 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

12.5 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

12.5 mg/kg body weight/day

Inhalation.

Long term systemic effects.

21.7 mg of substance/m3

Workers.

Dermal contact.

Short term systemic effects.

5 mg/kg body weight/day

Dermal contact.

Short term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact. Potential health effects: Long term local effects. DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects. DNEL: 2.5 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects. DNEL: 16.5 mg of substance/m3

Exposure method: Inhalation.

Long term systemic effects. Potential health effects: DNEL: 2.8 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion. Potential health effects: Short term systemic effects.

DNEL: 1.2 mg/kg body weight/day

Exposure method: Ingestion.

Potential health effects: Long term systemic effects. DNEL: 0.2 mg/kg body weight/day

Exposure method: Dermal contact. Potential health effects: Short term local effects. DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 1.25 mg/kg body weight/day

Exposure method: Dermal contact. Long term local effects. Potential health effects: DNEL: 15 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Short term systemic effects. DNEL: 4.1 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 0.7 mg of substance/m3

LINALYL ACETATE (CAS: 115-95-7)

Final use:

Workers. Exposure method: Dermal contact. Potential health effects: Short term local effects. DNEL: 8 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 8 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 2.75 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.2 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 8 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 8 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 0.68 mg of substance/m3

TERPINEOL (CAS: 8000-41-7)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Short term systemic effects. DNEL: 5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.
DNEL: 1.17 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects. DNEL: 5.8 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 5.8 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects. DNEL: 1.25 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg of substance/m3

## Predicted no effect concentration (PNEC):

GERANYL ACETATE (CAS: 105-87-3)

Environmental compartment: Soil.

PNEC: 0.0859 mg/kg

Environmental compartment: Fresh water. PNEC: 3.72 mg/l

Environmental compartment: Sea water. PNEC: 0.372 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 37.2 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.442 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0442 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 8 mg/l

MYRCENE (CAS: 123-35-3)

Environmental compartment: Soil.

PNEC: 1.015 mg/kg

 $\begin{array}{ll} Environmental \ compartment: & Fresh \ water. \\ PNEC: & 8 \ \mu g/l \end{array}$ 

Environmental compartment: Sea water. PNEC: 0.8 µg/l

Environmental compartment: Fresh water sediment.

PNEC: 5.022 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.502 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 0.2 mg/l

DL-CITRONELLOL (CAS: 106-22-9)

Environmental compartment: Soil.

PNEC: 0.00371 mg/kg

Environmental compartment: Fresh water. PNEC: 0.0024 mg/l

Environmental compartment: Sea water. PNEC: 0.00024 mg/l

Intermittent waste water. Environmental compartment:

PNEC: 0.024 mg/l

Environmental compartment: Fresh water sediment. 0.0256 mg/kg PNEC:

Environmental compartment: Marine sediment. PNEC: 0.00256 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

DIHYDROMYRCENOL (CAS: 18479-58-8)

Environmental compartment: Soil.

PNEC: 0.103 mg/kg

Environmental compartment: Fresh water. PNEC:  $27.8 \, \mu g/l$ 

Environmental compartment: Sea water. PNEC:  $2.78 \, \mu g/l$ 

Environmental compartment: Intermittent waste water.

PNEC:  $0.278~\mu g/l$ 

Environmental compartment: Fresh water sediment.

0.594 mg/kg PNEC:

Marine sediment. Environmental compartment: PNEC: 0.0594 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

Environmental compartment: Fresh water predators (oral).

PNEC: 111 mg/kg

Environmental compartment: Salt water predators (oral).

PNEC: 111 mg/kg

LINALOOL (CAS: 78-70-6)

Environmental compartment: Soil. PNEC: 0.327 mg/kg

Environmental compartment: Fresh water. 0.2 mg/l PNEC:

Environmental compartment: Sea water.

PNEC: 0.02 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 2 mg/l

Fresh water sediment. Environmental compartment:

PNEC: 2.22 mg/kg

Environmental compartment: Marine sediment.

PNEC: 0.222

LINALYL ACETATE (CAS: 115-95-7)

Environmental compartment: Soil.

PNEC: 0.115 mg/kg

Environmental compartment: Fresh water. PNEC: 0.011 mg/l

Environmental compartment: Sea water.
PNEC: 0.0011 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.11 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.609 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0609 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

TERPINEOL (CAS: 8000-41-7)

Environmental compartment: Soil.

PNEC: 0.052 mg/kg

Environmental compartment: Fresh water. PNEC :  $62 \mu g/l$ 

Environmental compartment: Sea water. PNEC :  $6.2 \mu g/l$ 

Environmental compartment: Fresh water sediment.

PNEC: 0.442 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.044 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2.57 mg/l

Environmental compartment: Fresh water predators (oral).

PNEC: 16.6 mg/kg

Environmental compartment: Salt water predators (oral).

PNEC: 16.6 mg/kg

# 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

 $Pictogram(s)\ indicating\ the\ obligation\ of\ wearing\ personal\ protective\ equipment\ (PPE):$ 





Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties

Physical state	
Physical state:	Fluid liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%):

Explosive properties, upper explosivity limit (%):

Not stated.

Not stated.

Flash point

Flash Point : 85.00 °C.

**Auto-ignition temperature** 

Self-ignition temperature: Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: Not relevant. pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Viscosity:  $v < 7 \text{ mm}2/\text{s} (40^{\circ}\text{C})$ 

**Solubility** 

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: Not stated.

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

# 9.2.1. Information with regard to physical hazard classes

No data available.

### 9.2.2. Other safety characteristics

No data available.

## SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Stockage: 1 year secure from air and light and heat

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

### 10.4. Conditions to avoid

Stockage: 6 months secure from light and air, in packing of origin. Stockage: 1 year secure from light and air, in packing of origin.

### 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

May cause an allergic reaction by skin contact.

### 11.1.1. Substances

### Acute toxicity:

2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE (CAS: 103-95-7)

Oral route: LD50 = 3810 mg/kg

EUCALYPTOL (CAS: 470-82-6)

Oral route: LD50 = 2480 mg/kg

OAKMOSS ABSOLUTE (CAS: 90028-68-5)

Oral route : LD50 = 2900 mg/kg

NEROL (CAS: 106-25-2)

Oral route: LD50 = 4500 mg/kg

1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2-ONE (CAS: 76-22-2)
Oral route:
LD50 = 1500 mg/kg

DL-CITRONELLOL (CAS: 106-22-9)

Oral route : LD50 = 3450 mg/kg

Dermal route : LD50 = 2650 mg/kg

GERANIOL (CAS: 106-24-1)

Oral route : LD50 = 3600 mg/kg

6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRALINE (TONALIDE, FIXOLIDE, AHTN) (CAS: 1506-02-1)

Oral route: LD50 = 1000 mg/kg

DIHYDROMYRCENOL (CAS: 18479-58-8)

Oral route : LD50 = 3600 mg/kg

ISOAMYL SALICYLATE (CAS: 87-20-7)

Oral route : LD50 = 1406 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route : LD50 = 2790 mg/kg

TERPINEOL (CAS: 8000-41-7)

Oral route : LD50 = 4300 mg/kg

### 11.1.2. Mixture

No toxicological data available for the mixture.

# Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 93-15-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 98-01-1: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 93-15-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 98-01-1 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 97-53-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 91-64-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

# **SECTION 12 : ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

### 12.7. Other adverse effects

No data available.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 - ICAO/IATA 2021).

# 14.1. UN number or ID number

3082

# 14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(d-limonene)

# 14.3. Transport hazard class(es)

- Classification:



# 14.4. Packing group

Ш

# 14.5. Environmental hazards

- Environmentally hazardous material :



## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	9	-	III	5 L	F-A. S-F	274 335 969	E1	Category A	-

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (IMDG 3.3.1 - 2.10.2.7)

ΙA	TA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
		9	-	III	964	450 L	964	450 L	A97 A158	E1
									A197 A215	
		9	-	III	Y964	30 kg G	-	-	A97 A158	E1
									A197 A215	

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(d-limonene)

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

### - Container information:

No data available.

### - Particular provisions :

No data available.

# 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### **Abbreviations:**

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

UFI : Unique formulation identifier. STEL : Short-term exposure limit

TWA : Time Weighted Averages
TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.



# www.gildewerk.com

Gildewerk bv A. Hofmanweg 41 2031 BH Haarlem Nederland

Tel. 31 - (0)23 - 532 22 55 Fax 31 - (0)23 - 534 09 65 E-mail: holland@gildewerk.com

Calculated on 15/02/2022

# **List of Allergenic Compounds**

According Regulation 1223/2009/CE

# YZS-2602\* PERFUME ZARDOS

INCI Name	N° Cas	N° EINECS	Concentration (in %)
Alpha-Isomethyl Ionone	127-51-5	204-846-3	
Amyl Cinnamal	122-40-7	204-541-5	
Amylcinnamyl Alcohol	101-85-9	202-982-8	
Anise Alcohol	105-13-5	203-273-6	0.002
Benzyl Alcohol	100-51-6	202-859-9	0.006
Benzyl Benzoate	120-51-4	204-402-9	
Benzyl Cinnamate	103-41-3	203-109-3	
Benzyl Salicylate	118-58-1	204-262-9	
Butylphenyl Methylpropional	80-54-6	201-289-8	
Cinnamal	104-55-2	203-213-9	
Cinnamyl Alcohol	104-54-1	203-212-3	
Citral	5392-40-5	226-394-6	0.088
Citronellol	106-22-9	203-375-0	1.326
Coumarin	91-64-5	202-086-7	2.003
Eugenol	97-53-0	202-589-1	0.002
Evernia Furfuracea (Treemoss) extract	90028-67-4	289-860-8	
Evernia Prunastri (Oakmoss) extract	90028-68-5	289-861-3	0.565
Farnesol	4602-84-0	225-004-1	
Geraniol	106-24-1	203-377-1	2.452
Hexyl Cinnamal	101-86-0	202-983-3	0.018
Hydroxycitronellal	107-75-5	203-518-7	
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde	31906-04-4	250-863-4	

This certificate is generated by calculation based on data for ingredients.

The information contained herein is, to the best of our knowledge, true and accurate at the time it is given. It is your responsibility to ensure that the usage of the fragrance ingredients and the levels of such usage are permitted at all times according to the relevant laws and regulations. Detection limit of calculation is 10 ppm.

<sup>&#</sup>x27;---' = Levels of material less than 10 ppm

INCI Name	N° Cas	N° EINECS	Concentration (in %)
Isoeugenol	97-54-1	202-590-7	
Limonene	5989-27-5	227-813-5	6.163
Linalool	78-70-6	201-134-4	6.380
Methyl 2-octynoate	111-12-6	203-836-6	



# CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

Issue date: 15/02/2022

Perfumed composition: YZS-2602\* PERFUME ZARDOS

# We certify that the above mixture:

complies with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 50th Amendment to the IFRA Code of Practice (published June 2021), provided it is used in the following categories at a maximum concentration level of:

IFRA class(es) (see annex for detail)	Maximum level of use (%)
1	0,00
2	2,83
3	2,20
4	17,70
5A	11,00
5B	2,20
5C	3,20
5D	0,72
6	0,00
7A	2,20
7B	2,20
8	0,72
9	6,50
10A	6,50
10B	17,70
11A	0,72
11B	0,72
12	100,00

For other kinds of application or use at higher concentration levels, a new evaluation can be needed; please contact Gildewerk. Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the above mixture is as follows:



# www.gildewerk.com ANNEX : Definition of IFRA Class

Finished products types	IFRA class
Lip products of all type (solid and liquid lipsticks, balms, clear or colored etc.)Children's toys	1
Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne and body spray, etc.)Body sprays (including body mist)	2
Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eyecare and moisturizer.Facial make-up and foundation. Make-up remover for face and eyes.Nose pore strips.Wipes or refreshing tissues for face, neck, hands, body.Body and face paint (for children and adults).Facial masks for face and around the eyes.	3
Hydroalcoholic and non-hydroalcoholicfine fragrance of all types (Eau deToilette, Parfum, Cologne, solid perfume, fragrancing cream,aftershaves of all types, etc.)Ingredients of perfume kits and fragrance mixtures for cosmetic kits.Scent pads, foil packs.Scent strips for hydroalcoholic products.	4
Body lotion products applied to the body using the hands (palms), primarily leave-on: Body creams, oils, lotions of all types. Foot care products creams and powders). Insect repellent (intended to be applied to the skin). All powders and talc (excluding baby powders and talc).	5A
Face moisturizer products applied to the face using the hands (palms), primarily leave-onFacial toner - Facial moisturizers and creams.	5B
Hand cream products applied to the hands using the hands (palms), primarily leave-onHand cream - Nail care products including cuticle creams, tcHand sanitizers -	5C
Baby Creams, baby Oils and baby talc	5D
Products with oral and lip exposure :Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets	6
Rinse-off products applied to the hair with some hand contact lair permanent or other hair chemicaltreatments (rinse-off) including rinse-off hair dyes	7 <b>A</b>
'Leave-on products applied to the hair with hand contact Hair sprays of all types (pumps,aerosol sprays, etc.) Hair styling aids non sprays (mousse,gels, leave- on conditioners) Hair permanent or other hair chemicaltreatments (leave-on) (e.g. relaxers),including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer	7B
Products with significant anogenital exposure ntimate wipes ampons oilet paper (wet)	8
Rinse off products with body and hand exposure:  Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Bath gels, foams, mousses, salts, oilsand other products added to bathwater Foot care products (feet are placed ina bath for soaking) Shaving creams of all types (stick,gels, foams, etc.) All depilatories (including facial) andwaxes for mechanical hair removal Shampoos for pets	9
Household care products with mostly hand contact: excluding aerosol/spray products land wash laundry detergent (including concentrates) aundry pre-treatment of all types (e.g.paste, sprays, sticks) land dishwashing detergent (includingconcentrates) lard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) lard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) lardshine laundry detergents with skin contact (e.g. liquids, powders)including concentrates by cleaning kits oilet seat wipes labeled to seat wipes labeled to seat wipes labeled to softeners of all types including fabric softener sheets laundry detergents, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather leaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, eodorizers for textiles orfabrics) loor wax ragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems),etc.	10A
Household care products with mostly hand contact : aerosol/spray products Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, includingaerosol and pump Aerosol/spray insecticides	10B
Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate without UV exposure feminine hygiene conventional pads, ners, interlabial pads biapers (baby and adult) dult incontinence pant, pad foilet paper (dry)	11A
Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate with potential UV exposure lights with moisturizers scented socks, gloves caical tissues (dry tissues) lapkins lapkins	11B

Wheat bags Facial masks (paper/protective) e.g. surgical masks not used as medical device Fertilizers, solid (pellet or powder)

"Products not intended for direct skin contact, minimal or insignificant transfer to skin

Candles of all types (includingencased)

Laundry detergents for machine wash with minimal skin contact (e.g. Liquidtabs, pods)

Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals)

Air delivery systems Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excludingaerosols/sprays

Joss sticks or incense sticks
Dishwash detergent and deodorizers – for machine wash

Olfactive board games

Plastic articles (excluding toys)

Scratch and sniff

Scent pack Scent delivery system (using dry air technology)

Shoe polishes

Rim blocks (Toilet)

12

This certificate is generated by calculation based on data for ingredients. This Certificate provide restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. The information contained herein is, to the best of Gildewerks knowledge, true and accurate at the time it is given. It is provided to Customer for its information and internal use only. Gildewerk is not liable for any damages that may result from the misuse of the data. Any Customer product, marketing or other claims are Customer's sole responsibility.

### IFRA Regulated Substances

Name	N° Cas	N° EINECS	Standard	%
3,5-DIMETHYLCYCLOHEX-3-ENE-1-CARBALDEHYDE	68039-48-5	268-263-6	R-S	0.050
5-ACETYL-1,1,2,3,3,6-HEXAMETHYLINDAN (PHANTOLIDE/AHMI)	15323-35-0	239-360-0	R-S	0.003
ALLYL ESTERS	AE		R - S	0.050
ALPHA-CEDRENE	469-61-4	207-418-4	R	0.315
ALPHA-HEXYLCINNAMALDEHYDE	101-86-0	202-983-3	R	0.018
AMYL VINYL CARBINYL ACETATE (1-OCTEN-3-YL ACETATE)	2442-10-6	219-474-7	R	0.004
ANISALDEHYDE (P-METHOXYBENZALDEHYDE)	123-11-5	204-602-6	R	1.000
ANISYL ALCOHOL	105-13-5	203-273-6	R	0.002
BENZYL ALCOHOL	100-51-6	202-859-9	R	0.006
BETA-CEDRENE	546-28-1	208-898-8	R	0.012
CARVONE	99-49-0	202-759-5	R	0.086
CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL	13828-37-0	237-539-8	R	0.240
CITRAL	5392-40-5	226-394-6	R	0.088
CITRONELLAL	106-23-0	203-376-6	R	0.013
COUMARIN	91-64-5	202-086-7	R	2.003
CUMINALDEHYDE	122-03-2	204-516-9	R	0.007
CYCLAMEN ALCOHOL (CARRIED OVER FROM CYCLAMEN ALDEHYDE)	4756-19-8	225-289-2	R-S	0.002
CYCLAMEN ALDEHYDE (2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE)	103-95-7	203-161-7	R - S	0.122
DL-CITRONELLOL	106-22-9	203-375-0	R	1.326
EUGENOL	97-53-0	202-589-1	R	0.002
GERANIOL	106-24-1	203-377-1	R	2.452
HEXYL SALICYLATE	6259-76-3	228-408-6	R	2.000

LIMONENE.	5989-27-5	227-813-5	R-S	6.163
LINALOOL	78-70-6	201-134-4	R-S	6.380
METHYL BETA-NAPHTHYL KETONE (2-ACETONAPHTHONE)	93-08-3	202-216-2	R-S	0.050
MOUSSE DE CHENE	90028-68-5	289-861-3	R-S	0.565
OAKMOSS ABSOLUTE	9000-50-4	289-861-3	R-S	0.565
PERILLA ALDEHYDE	2111-75-3	218-302-8	R	0.003
P-ISOBUTYL-ALPHA-METHYL HYDROCINNAMALDEHYDE	6658-48-6	229-695-0	R	0.033

The IFRA standards regarding use restriction are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee It is the ultimate responsibility of our customer to ensure the safety of the final product by further testing if need be.

This document is generated by computer and consequently not signed



www.gildewerk.com

Gildewerk by A. Hofmanweg 41