

Gildewerk bv A. Hofmanweg 41 2031 BH Haarlem Nederland Tel. +31 - (0)23 - 532 22 55 Fax +31 - (0)23 - 534 09 65 E-mail: holland@gildewerk.com

## www.gildewerk.com

## Certificate of Analyses

## **202211259** / **165900**

|                       |  |        |              |                       | <u>.</u>                          |                   |           |         |  |
|-----------------------|--|--------|--------------|-----------------------|-----------------------------------|-------------------|-----------|---------|--|
| Batch nr              | 165900   |        |              |                       | Shipment qt                       | y                 | 10,0      | Kgs     |  |
| Article code          | YZS-030  | 6*     |              |                       | Shipment lite                     | rs                | 10,2      | Ltr     |  |
| Product name          | Perfume oil Wild Cherry  |        |              |                       |                                   |                   |           |         |  |
| Production date       | 06/2022  |        | Re-test date | 12                    | 12 months after manufacturing dat |                   | date      |         |  |
| Origin                | HOLLAND  |        |              |                       |                                   |                   |           |         |  |
| Tarif code            | 3302909  | D      |              |                       |                                   |                   |           |         |  |
| Skinsafety            | Comply with IFRA standards for specified end-use.  |        |              |                       |                                   |                   |           |         |  |
| Specification         | Standard Sample as accepted by customer.   |        |              |                       |                                   |                   |           |         |  |
| Analysis              | Olfactive assessment against Company Standard Sample and previous quality satisfactorily supplied. |        |              |                       |                                   |                   |           |         |  |
| Refractive index      | 1.4501   | 1.4801 | 20°c         | 1.465                 | <b>3</b> Ai                       | nton Pa           | aar Abber | nat 300 |  |
| Density D20/20 (g/ml) | 0.966  | 0.996  | 20°c         | 0.980                 |                                   | Anton Paar DMA35n |           |         |  |
| Color                 |  |        | Visual       | slight                | ly yellow                         |                   |           |         |  |
| Appearance            |  |        | Visual       | clear mobile liquid   |                                   |                   |           |         |  |
| Solubility Water      |  |        | 1:1          | Essentially insoluble |                                   |                   |           |         |  |
| Solubility Ethanol    | 1:1  |        |              |                       | Essentially soluble               |                   |           |         |  |
| Assay                 |  |        | % GC         | Not d                 | etermined                         |                   |           |         |  |

Analytical laboratory This is a computer printed document and is therefore not signed

We certify that the quality of this product conforms with our specifications. This data does not constitute any guarantee on the properties of the product or the suitability for certain purposes or applications. This certificate does not release the customer from the obligation to carry out an examination of the goods received. Gildewerk shall not be held liable for any loss, damage or injury resulting from handling the above product.'

