

## Certificate of Analyses **202212402 / 168371**

Batch nr	<b>168371</b>	Shipment qty	<b>10,0</b>	<b>Kgs</b>
Article code	<b>YZS-1453*</b>	Shipment liters	<b>9,6</b>	<b>Ltr</b>
Product name	<b>Parfum X-Mas</b>			
Production date	<b>10/2022</b>	Re-test date	<b>24 months after manufacturing date</b>	
Origin	<b>HOLLAND</b>			
Tarif code	<b>33029090</b>			
Skinsafety	<b>Comply with IFRA standards for specified end-use.</b>			
Specification	<b>Standard Sample as accepted by customer.</b>			
Analysis	<b>Olfactive assessment against Company Standard Sample and previous quality satisfactorily supplied.</b>			

Refractive index	1.5061	1.5361	20°C	<b>1.5210</b>	Anton Paar Abbemat 300
Density D20/20 (g/ml)	1.029	1.059	20°C	<b>1.040</b>	Anton Paar DMA35n
Color	<i>Visual</i> <b>yellowish</b>				
Appearance	<i>Visual</i> <b>clear mobile liquid</b>				
Solubility Water	1:1 <b>Essentially insoluble</b>				
Solubility Ethanol	1:1 <b>Essentially soluble</b>				
Assay	% GC <b>Not determined</b>				

**Analytical laboratory**

*This is a computer printed document and is therefore not signed*

We certify that the quality of this product conforms with our specifications. This data does not constitute any guarantee on the properties of the product or the suitability for certain purposes or applications. This certificate does not release the customer from the obligation to carry out an examination of the goods received. Holland Aromatics shall not be held liable for any loss, damage or injury resulting from handling the above product.