

Certificate of Analyses **202112676 / 161189**

Batch nr	161189	Shipment qty	10,0	Kgs
Article code	YZS-1453*	Shipment liters	9,6	Ltr
Product name	Parfum X-Mas			
Production date	11/2021	Re-test date	24 months after manufacturing date	
Origin	HOLLAND			
Tarif code	33029090			
Skinsafety	Comply with IFRA standards for specified end-use.			
Specification	Standard Sample as accepted by customer.			
Analysis	Olfactive assessment against Company Standard Sample and previous quality satisfactorily supplied.			

Refractive index	1.5061	1.5361	20°C	1.5209	Anton Paar Abbemat 300
Density D20/20 (g/ml)	1.029	1.059	20°C	1.041	Anton Paar DMA35n
Color	<i>Visual</i> yellowish				
Appearance	<i>Visual</i> clear mobile liquid				
Solubility Water	1:1 Essentially insoluble				
Solubility Ethanol	1:1 Essentially soluble				
Assay	% GC Not determined				

Analytical laboratory

This is a computer printed document and is therefore not signed

We certify that the quality of this product conforms with our specifications. This data does not constitute any guarantee on the properties of the product or the suitability for certain purposes or applications. This certificate does not release the customer from the obligation to carry out an examination of the goods received. Holland Aromatics shall not be held liable for any loss, damage or injury resulting from handling the above product.