


**CERTIFICATE OF ANALYSIS**

Edition date: 2021-05-04

<b>Product:</b>	ZKZ-10000 Colour pigment Green	<b>Manufacturing Date:</b>	2018-01-25
		<b>Expiry Date:</b>	2028-01-23
<b>Invoiced batch:</b>	1081549		

Analysis	Minimum Value	Maximum Value	Result	Test Method
Appearance	POWDER	POWDER	POWDER	10-010
Odour	NONE	NONE	NONE	10-022
Water solubility	INSOLUBLE	INSOLUBLE	INSOLUBLE	10-046
Volatile matter - 105°C (%)	0	12.0	1.0	10-102
Full shade	Passed	Passed	Passed	10-125
Müller blasting	Passed	Passed	Passed	10-126
Antimony (ppm)	0	10	0	10-210
Arsenic (ppm)	0	3.0	0	10-213
Barium (ppm)	0	50	3	10-214
Cadmium (ppm)	0	1.0	0	10-210
Chromium (ppm)	0	100	1	10-210
Lead (ppm)	0	10	0	10-210
Mercury (ppm)	0	1.0	0	10-213
Zinc (ppm)	0	100	4	10-210
Microbiology (pathogens free)	Passed	Passed	Passed	10-123
Microbiology (<100 UFC/g)	Passed	Passed	Passed	10-123



Julie Riviere, Quality Control Manager

**Remark:**

Original packing units tightly closed and stored at room temperature below 25°C. This certificate is established under the responsibility of our quality control laboratory and is valid without signature. Comparative controls are made against Sensient Cosmetic Technologies.

**Important:**

Certificate is for the use of your quality control laboratory. However, it does not relieve it of its obligation to inspect the product upon receipt.