



## Certificate of Analyses **201921459 / 140447**

Batch nr	<b>140447</b>	Shipment qty	<b>10,0</b>	<b>Kgs</b>
Article code	<b>YZS-0335*</b>	Shipment liters	<b>11,7</b>	<b>Ltr</b>
Product name	<b>Parfum Citrus &amp; Rose</b>			
Production date	<b>02/2019</b>	Re-test date	<b>24 months after manufacturing date</b>	
Origin	<b>HOLLAND</b>	Re-test 05/03/2021	<b>6 months validation</b>	
Tarif code	<b>33029090</b>			
Skinsafety	<b>Comply with IFRA standards for specified end-use.</b>			
Specification	<b>Standard Sample as accepted by customer.</b>			
Analysis	<b>Olfactive assessment against Company Standard Sample and previous quality satisfactorily supplied.</b>			

Refractive index	1.4571	1.4871	20°C	<b>1.4725</b>	Anton Paar Abbemat 300
Density D20/20 (g/ml)	0.838	0.868	20°C	<b>0.857</b>	Anton Paar DMA35n
Color	<i>Visual</i> <b>slightly yellow</b>				
Appearance	<i>Visual</i> <b>clear mobile liquid</b>				
Solubility Water	1:1 <b>Essentially insoluble</b>				
Solubility Ethanol	1:1 <b>Essentially soluble</b>				
Assay	% GC <b>Not determined</b>				

**Analytical laboratory**

*This is a computer printed document and is therefore not signed*