

Gildewerk B.V. A. Hofmanweg 41 2031 BH Haarlem Nederland

Tel. +31 - (0)23 - 532 22 55 Fax +31 - (0)23 - 534 09 65 E-mail: holland@gildewerk.com Date: 03-Nov-2022 Time: 10:19:24

Page 1 of 1

Certificate of Analysis

article code ZKN-07000

Description Natural Soap Coloer Red

Lot# 1075243 Manufacture Date 15-Jul-2017 Best Before Date 12-Jul-2027

Analysis	Minimum Value	Maximum Value	Result	Test Method
Appearance	POWDER	POWDER	POWDER	10-010
Color	RED	RED	RED	10-021
Odour	NONE	NONE	NONE	10-022
Water Solubility	INSOLUBLE	INSOLUBLE	INSOLUBLE	10-046
Full shade (delta E<1,2)	Passed	Passed	Passed	10-125
Mülller Blasting (delta E<1,2)	Passed	Passed	Passed	10-126
Antimony (ppm)	0	10	0	10-210
Arcenic (pp)	0	1,0	0	10-213
Barium (ppm)	0	1	0	10-214
Cadmium (ppm)	0	1,0	0	10-210
Chromium (ppm)	0	25	4	10-210
Cobalt (ppm)	0	15	8	10-210
Copper (ppm)	0	10	2	10-210
Iron (%)	68	100	73,5	10-139
Lead (ppm)	0	3	0	10-210
Mercury (ppm)	0	,.5	0	10-123
Nickel (ppm)	0	10	5	10-210
Selenium (ppm)	0	10,0	0	10-210
Zinc (ppm)	0	20	5	10-210
Microbiology (pathogens free)	Passed	Passed	Passed	10-123
Microbiology (<100 UFC/g)	Passed	Passed	Passed	10-123

Remark

Original packing units tightly closed and stored at room temperature below 25°C. This certificate is established under the responsibility of our quality control laboratory and is valid without signature.

Important:

Certificate is for the use of your quality control laboratory. However, it does not relieve it of its obligation to inspect the product